

PHP Version 5.3.3



System	Linux centos6_standke.us 2.6.32-358.0.1.el6.x86_64 #1 SMP Wed Feb 27 06:06:45 UTC 2013 x86_64
Build Date	Feb 22 2013 02:51:49
Configure Command	'./configure' '--build=x86_64-redhat-linux-gnu' '--host=x86_64-redhat-linux-gnu' '--target=x86_64-redhat-linux-gnu' '--program-prefix=' '--prefix=/usr' '--exec-prefix=/usr' '--bindir=/usr/bin' '--sbindir=/usr/sbin' '--mandir=/usr/share/man' '--infodir=/usr/share/info' '--cache-file=./config.cache' '--with-libdir=lib64' '--with-config-file-path=/etc' '--with-config-file-scan-dir=/etc/php.d' '--disable-debug' '--with-pic' '--disable-gettext' '--with-gmp' '--with-iconv' '--with-jpeg-dir=/usr' '--with-openssl' '--with-pcre-regex=/usr' '--with-zlib' '--with-layout=GNU' '--enable-exif' '--enable-ftp' '--enable-magic-quotes' '--enable-sockets' '--enable-xml' '--with-system-ldap' '--with-apxs2=/usr/sbin/apxs' '--without-mysql' '--without-gd' '--disable-dom' '--disable-dba' '--without-unixODBC' '--disable-pdo' '--disable-xmlreader' '--disable-xml-disable-syssem'
Server API	Apache 2.0 Handler
Virtual Directory Support	disabled
Configuration File (php.ini) Path	/etc
Loaded Configuration File	/etc/php.ini
Scan this dir for additional .ini files	/etc/php.d
Additional .ini files parsed	/etc/php.d/curl.ini, /etc/php.d/dom.ini, /etc/php.d/fileinfo.ini, /etc/php.d/gd.ini, /etc/php.d/json.ini, /etc/php.d/mbstring.ini, /etc/php.d/mysqli.ini, /etc/php.d/mysqli.ini, /etc/php.d/pdo.ini, /etc/php.d/pdo_
PHP API	20090626
PHP Extension	20090626
Zend Extension	220090626
Zend Extension Build	API220090626,NTS
PHP Extension Build	API20090626,NTS
Debug Build	no
Thread Safety	disabled
Zend Memory Manager	enabled
Zend Multibyte Support	disabled
IPv6 Support	enabled
Registered PHP Streams	https, ftps, compress.zlib, compress.bzip2, php, file, glob, data, http, ftp, phar, zip
Registered Stream Socket Transports	tcp, udp, unix, udg, ssl, sslv3, sslv2, tls
Registered Stream Filters	zlib.*, bzip2.*, convert.iconv.*, string.rot13, string.toupper, string.tolower, string.strip_tags, convert.*, consumed, dechunk

This program makes use of the Zend Scripting Language Engine:
 Zend Engine v2.3.0, Copyright (c) 1998-2010 Zend Technologies



PHP Credits

Configuration

apache2handler

Apache Version	Apache/2.2.15 (CentOS)
Apache API Version	20051115
Server Administrator	root@localhost
Hostname:Port	127.0.0.1:0
User/Group	apache(48)/48
Max Requests	Per Child: 4000 - Keep Alive: off - Max Per Connection: 100
Timeouts	Connection: 60 - Keep-Alive: 15
Virtual Server	No
Server Root	/etc/httpd
Loaded Modules	core prefork http_core mod_so mod_auth_basic mod_auth_digest mod_authn_file mod_authn_alias mod_authn_anon mod_authn_dbm mod_authn_default mod_authz_host

mod_authz_user mod_authz_owner mod_authz_groupfile mod_authz_dbm mod_authz_default util_ldap mod_authnz_ldap mod_include mod_log_config mod_logio mod_env mod_ext_filter mod_mime_magic mod_expires mod_deflate mod_headers mod_usertrack mod_setenvif mod_mime mod_dav mod_status mod_autoindex mod_info mod_dav_fs mod_vhost_alias mod_negotiation mod_dir mod_actions mod_speling mod_userdir mod_alias mod_substitute mod_rewrite mod_proxy mod_proxy_balancer mod_proxy_ftp mod_proxy_http mod_proxy_ajp mod_proxy_connect mod_cache mod_suexec mod_disk_cache mod_cgi mod_version mod_perl mod_php5 mod_ssl mod_wsgi
--

Directive	Local Value	Master Value
engine	1	1
last_modified	0	0
xbithack	0	0

Apache Environment

Variable	Value
HTTP_ACCEPT	application/x-ms-application, image/jpeg, application/xhtml+xml, image/gif, image/pjpeg, application/x-ms-xbap, application/vnd.ms-excel, application/vnd.ms-powerpoint, application/msword, */*
HTTP_ACCEPT_LANGUAGE	en-US
HTTP_USER_AGENT	Mozilla/5.0 (compatible; MSIE 9.0; Windows NT 6.1; WOW64; Trident/5.0; SLCC2; .NET CLR 2.0.50727; .NET CLR 3.5.30729; .NET CLR 3.0.30729; Media Center PC 6.0; InfoPath.2; .NET4.0C; .NET4.0E)
HTTP_ACCEPT_ENCODING	gzip, deflate
HTTP_HOST	192.168.1.144
HTTP_CONNECTION	Keep-Alive
HTTP_COOKIE	memberSession=e7EkkHeBkKJfJ%2BDNkbYfXBivz%2BdPr.t; Elgg_install=bdoh1esu4gki5cvbmdm9absr672; Elgg=ll3dmrv6vvs8kp3kmfuc88p05; 900ddc0ecc64f1efb1b56fa906c0cae3=0i8jveigbilsu74vsdgrlah322; 23b73ae1fbc71dc545227abd7ec2c7f2=slkmb666lnbqink7bgguqrufm7; 3a72e909ace5f2e1ed3702e45f83cf1b=t1v00mllit270238kfgloam5; 4104420e94fb629a4ca79e3caff285bf=e77b3465e0v5smhsjq0nioev30
PATH	/sbin:/usr/sbin:/bin:/usr/bin
SERVER_SIGNATURE	<address>Apache/2.2.15 (CentOS) Server at 192.168.1.144 Port 80</address>
SERVER_SOFTWARE	Apache/2.2.15 (CentOS)
SERVER_NAME	192.168.1.144
SERVER_ADDR	192.168.1.144
SERVER_PORT	80
REMOTE_ADDR	192.168.1.101
DOCUMENT_ROOT	/var/www
SERVER_ADMIN	root@localhost
SCRIPT_FILENAME	/var/www/phpinfo.php
REMOTE_PORT	51305
GATEWAY_INTERFACE	CGI/1.1
SERVER_PROTOCOL	HTTP/1.1
REQUEST_METHOD	GET
QUERY_STRING	no value
REQUEST_URI	/phpinfo.php
SCRIPT_NAME	/phpinfo.php

HTTP Headers Information

HTTP Request Headers	
HTTP Request	GET /phpinfo.php HTTP/1.1
Accept	application/x-ms-application, image/jpeg, application/xhtml+xml, image/gif, image/pjpeg, application/x-ms-xbap, application/vnd.ms-excel, application/vnd.ms-powerpoint, application/msword, */*
Accept-Language	en-US
User-Agent	Mozilla/5.0 (compatible; MSIE 9.0; Windows NT 6.1; WOW64; Trident/5.0; SLCC2; .NET CLR 2.0.50727; .NET CLR 3.5.30729; .NET CLR 3.0.30729; Media Center PC 6.0; InfoPath.2; .NET4.0C; .NET4.0E)
Accept-Encoding	gzip, deflate
Host	192.168.1.144
Connection	Keep-Alive
Cookie	memberSession=e7EkkHeBkKJfJ%2BDNkbYfXBivz%2BdPr.t; Elgg_install=bdoh1esu4gki5cvbmdm9absr672; Elgg=ll3dmrv6vvs8kp3kmfuc88p05; 900ddc0ecc64f1efb1b56fa906c0cae3=0i8jveigbilsu74vsdgrlah322; 23b73ae1fbc71dc545227abd7ec2c7f2=slkmb666lnbqink7bgguqrufm7; 3a72e909ace5f2e1ed3702e45f83cf1b=t1v00mllit270238kfgloam5; 4104420e94fb629a4ca79e3caff285bf=e77b3465e0v5smhsjq0nioev30
HTTP Response Headers	
X-Powered-By	PHP/5.3.3
Connection	close
Transfer-Encoding	chunked
Content-Type	text/html; charset=UTF-8

bz2

BZip2 Support	Enabled
Stream Wrapper support	compress.bz2://
Stream Filter support	bzip2.decompress, bzip2.compress
BZip2 Version	1.0.5, 10-Dec-2007

calendar

Calendar support	enabled
------------------	---------

Core

PHP Version	5.3.3
-------------	-------

Directive	Local Value	Master Value
allow_call_time_pass_reference	Off	Off
allow_url_fopen	On	On
allow_url_include	Off	Off
always_populate_raw_post_data	Off	Off
arg_separator.input	&	&
arg_separator.output	&	&
asp_tags	Off	Off
auto_append_file	<i>no value</i>	<i>no value</i>
auto_globals_jit	On	On
auto_prepend_file	<i>no value</i>	<i>no value</i>
browscap	<i>no value</i>	<i>no value</i>
default_charset	<i>no value</i>	<i>no value</i>
default_mimetype	text/html	text/html
define_syslog_variables	Off	Off
disable_classes	<i>no value</i>	<i>no value</i>
disable_functions	<i>no value</i>	<i>no value</i>
display_errors	Off	Off
display_startup_errors	Off	Off
doc_root	<i>no value</i>	<i>no value</i>
docref_ext	<i>no value</i>	<i>no value</i>
docref_root	<i>no value</i>	<i>no value</i>
enable_dl	Off	Off
error_append_string	<i>no value</i>	<i>no value</i>
error_log	<i>no value</i>	<i>no value</i>
error_prepend_string	<i>no value</i>	<i>no value</i>
error_reporting	22527	22527
exit_on_timeout	Off	Off
expose_php	On	On
extension_dir	/usr/lib64/php/modules	/usr/lib64/php/modules
file_uploads	On	On
highlight.bg	#FFFFFF	#FFFFFF
highlight.comment	#FF8000	#FF8000
highlight.default	#0000BB	#0000BB
highlight.html	#000000	#000000
highlight.keyword	#007700	#007700
highlight.string	#DD0000	#DD0000
html_errors	Off	Off
ignore_repeated_errors	Off	Off
ignore_repeated_source	Off	Off
ignore_user_abort	Off	Off
implicit_flush	Off	Off
include_path	./usr/share/pear:/usr/share/php	./usr/share/pear:/usr/share/php
log_errors	On	On
log_errors_max_len	1024	1024
magic_quotes_gpc	Off	Off
magic_quotes_runtime	Off	Off
magic_quotes_sybase	Off	Off
mail.add_x_header	On	On
mail.force_extra_parameters	<i>no value</i>	<i>no value</i>
mail.log	<i>no value</i>	<i>no value</i>
max_execution_time	30	30
max_file_uploads	20	20
max_input_nesting_level	64	64
max_input_time	60	60
max_input_vars	1000	1000
memory_limit	128M	128M
open_basedir	<i>no value</i>	<i>no value</i>
output_buffering	4096	4096

output_handler	<i>no value</i>	<i>no value</i>
post_max_size	8M	8M
precision	14	14
realpath_cache_size	16K	16K
realpath_cache_ttl	120	120
register_argc_argv	Off	Off
register_globals	Off	Off
register_long_arrays	Off	Off
report_memleaks	On	On
report zend_debug	On	On
request_order	GP	GP
safe_mode	Off	Off
safe_mode_exec_dir	<i>no value</i>	<i>no value</i>
safe_mode_gid	Off	Off
safe_mode_include_dir	<i>no value</i>	<i>no value</i>
sendmail_from	<i>no value</i>	<i>no value</i>
sendmail_path	/usr/sbin/sendmail -t -i	/usr/sbin/sendmail -t -i
serialize_precision	100	100
short_open_tag	On	On
SMTP	localhost	localhost
smtp_port	25	25
sql.safe_mode	Off	Off
track_errors	Off	Off
unserialize_callback_func	<i>no value</i>	<i>no value</i>
upload_max_filesize	2M	2M
upload_tmp_dir	<i>no value</i>	<i>no value</i>
user_dir	<i>no value</i>	<i>no value</i>
user_ini.cache_ttl	300	300
user_ini.filename	.user.ini	.user.ini
variables_order	GPCS	GPCS
xmlrpc_error_number	0	0
xmlrpc_errors	Off	Off
y2k_compliance	On	On
zend.enable_gc	On	On

ctype

ctype functions	enabled
-----------------	---------

curl

cURL support	enabled
cURL Information	7.19.7
Age	3
Features	
AsynchDNS	No
Debug	No
GSS-Negotiate	Yes
IDN	Yes
IPv6	Yes
Largefile	Yes
NTLM	Yes
SPNEGO	No
SSL	Yes
SSPI	No
krb4	No
libz	Yes
CharConv	No
Protocols	ftp, ftp, telnet, dict, ldap, ldaps, http, file, https, ftps, scp, sftp
Host	x86_64-redhat-linux-gnu
SSL Version	NSS/3.13.6.0
ZLib Version	1.2.3
libSSH Version	libssh2/1.4.2

date

date/time support	enabled
"Olson" Timezone Database Version	0.system
Timezone Database	internal
Default timezone	America/Chicago

Directive	Local Value	Master Value
date.default_latitude	31.7667	31.7667
date.default_longitude	35.2333	35.2333

date.sunrise_zenith	90.583333	90.583333
date.sunset_zenith	90.583333	90.583333
date.timezone	<i>no value</i>	<i>no value</i>

dom

DOM/XML	enabled
DOM/XML API Version	20031129
libxml Version	2.7.6
HTML Support	enabled
XPath Support	enabled
XPointer Support	enabled
Schema Support	enabled
RelaxNG Support	enabled

ereg

Regex Library	Bundled library enabled
---------------	-------------------------

exif

EXIF Support	enabled
EXIF Version	1.4 \$Id: exif.c 293036 2010-01-03 09:23:27Z sebastian \$
Supported EXIF Version	0220
Supported filetypes	JPEG, TIFF

Directive	Local Value	Master Value
exif.decode_jis_intel	JIS	JIS
exif.decode_jis_motorola	JIS	JIS
exif.decode_unicode_intel	UCS-2LE	UCS-2LE
exif.decode_unicode_motorola	UCS-2BE	UCS-2BE
exif.encode_jis	<i>no value</i>	<i>no value</i>
exif.encode_unicode	ISO-8859-15	ISO-8859-15

fileinfo

fileinfo support	enabled
version	1.0.5-dev

filter

Input Validation and Filtering	enabled
Revision	\$Revision: 298196 \$

Directive	Local Value	Master Value
filter.default	unsafe_raw	unsafe_raw
filter.default_flags	<i>no value</i>	<i>no value</i>

ftp

FTP support	enabled
-------------	---------

gd

GD Support	enabled
GD Version	bundled (2.0.34 compatible)
FreeType Support	enabled
FreeType Linkage	with freetype
FreeType Version	2.3.11
GIF Read Support	enabled
GIF Create Support	enabled
JPEG Support	enabled
libJPEG Version	6b
PNG Support	enabled
libPNG Version	1.2.49
WBMP Support	enabled
XPM Support	enabled
XBM Support	enabled

Directive	Local Value	Master Value
gd.jpeg_ignore_warning	0	0

gettext

--	--

GetText Support	enabled
-----------------	---------

gmp

gmp support	enabled
GMP version	4.3.1

hash

hash support	enabled
Hashing Engines	md2 md4 md5 sha1 sha224 sha256 sha384 sha512 ripemd128 ripemd160 ripemd256 ripemd320 whirlpool tiger128,3 tiger160,3 tiger192,3 tiger128,4 tiger160,4 tiger192,4 snfru snfru256 gost adler32 crc32 crc32b salsa10 salsa20 haval128,3 haval160,3 haval192,3 haval224,3 haval256,3 haval128,4 haval160,4 haval192,4 haval224,4 haval256,4 haval128,5 haval160,5 haval192,5 haval224,5 haval256,5

iconv

iconv support	enabled
iconv implementation	glibc
iconv library version	2.12

Directive	Local Value	Master Value
iconv.input_encoding	ISO-8859-1	ISO-8859-1
iconv.internal_encoding	ISO-8859-1	ISO-8859-1
iconv.output_encoding	ISO-8859-1	ISO-8859-1

json

json support	enabled
json version	1.2.1

libxml

libXML support	active
libXML Compiled Version	2.7.6
libXML Loaded Version	20706
libXML streams	enabled

mbstring

Multibyte Support	enabled
Multibyte string engine	libmbfl
HTTP input encoding translation	disabled

mbstring extension makes use of "streamable kanji code filter and converter", which is distributed under the GNU Lesser General Public License version 2.1.

Multibyte (japanese) regex support	enabled
Multibyte regex (oniguruma) backtrack check	On
Multibyte regex (oniguruma) version	4.7.1

Directive	Local Value	Master Value
mbstring.detect_order	no value	no value
mbstring.encoding_translation	Off	Off
mbstring.func_overload	0	0
mbstring.http_input	pass	pass
mbstring.http_output	pass	pass
mbstring.http_output_conv_mimetypes	^(text application/xhtml +xml)	^(text application/xhtml +xml)
mbstring.internal_encoding	no value	no value
mbstring.language	neutral	neutral
mbstring.strict_detection	Off	Off
mbstring.substitute_character	no value	no value

mysql

MySQL Support	enabled
Active Persistent Links	0
Active Links	0
Client API version	5.1.67
MYSQL_MODULE_TYPE	external
MYSQL_SOCKET	/var/lib/mysql/mysql.sock
MYSQL_INCLUDE	-Iusr/include/mysql
MYSQL_LIBS	-Lusr/lib64/mysql -lmysqlclient

Directive	Local Value	Master Value
-----------	-------------	--------------

mysql.allow_local_infile	On	On
mysql.allow_persistent	On	On
mysql.connect_timeout	60	60
mysql.default_host	<i>no value</i>	<i>no value</i>
mysql.default_password	<i>no value</i>	<i>no value</i>
mysql.default_port	<i>no value</i>	<i>no value</i>
mysql.default_socket	/var/lib/mysql/mysql.sock	/var/lib/mysql/mysql.sock
mysql.default_user	<i>no value</i>	<i>no value</i>
mysql.max_links	Unlimited	Unlimited
mysql.max_persistent	Unlimited	Unlimited
mysql.trace_mode	Off	Off

mysqli

Mysqli Support		enabled
Client API library version	5.1.67	
Active Persistent Links	0	
Inactive Persistent Links	0	
Active Links	0	
Client API header version	5.1.67	
MYSQLI_SOCKET	/var/lib/mysql/mysql.sock	

Directive	Local Value	Master Value
mysqli.allow_local_infile	On	On
mysqli.allow_persistent	On	On
mysqli.default_host	<i>no value</i>	<i>no value</i>
mysqli.default_port	3306	3306
mysqli.default_pw	<i>no value</i>	<i>no value</i>
mysqli.default_socket	<i>no value</i>	<i>no value</i>
mysqli.default_user	<i>no value</i>	<i>no value</i>
mysqli.max_links	Unlimited	Unlimited
mysqli.max_persistent	Unlimited	Unlimited
mysqli.reconnect	Off	Off

openssl

OpenSSL support	enabled
OpenSSL Library Version	OpenSSL 1.0.0-fips 29 Mar 2010
OpenSSL Header Version	OpenSSL 1.0.0-fips 29 Mar 2010

pcre

PCRE (Perl Compatible Regular Expressions) Support	enabled
PCRE Library Version	7.8 2008-09-05

Directive	Local Value	Master Value
pcre.backtrack_limit	100000	100000
pcre.recursion_limit	100000	100000

PDO

PDO support		enabled
PDO drivers	mysql, sqlite	

pdo_mysql

PDO Driver for MySQL		enabled
Client API version	5.1.67	

pdo_sqlite

PDO Driver for SQLite 3.x		enabled
SQLite Library	3.6.20	

Phar

Phar: PHP Archive support		enabled
Phar EXT version	2.0.1	
Phar API version	1.1.1	
SVN revision	\$Revision: 298908 \$	
Phar-based phar archives	enabled	
Tar-based phar archives	enabled	
ZIP-based phar archives	enabled	
gzip compression	enabled	

bzip2 compression	enabled
Native OpenSSL support	enabled

Phar based on pear/PHP_Archive, original concept by Davey Shafik.
Phar fully realized by Gregory Beaver and Marcus Boerger.
Portions of tar implementation Copyright (c) 2003-2009 Tim Kientzle.

Directive	Local Value	Master Value
phar.cache_list	<i>no value</i>	<i>no value</i>
phar.readonly	On	On
phar.require_hash	On	On

Reflection

Reflection	enabled
Version	\$Revision: 300393 \$

session

Session Support	enabled
Registered save handlers	files user
Registered serializer handlers	php php_binary wddx

Directive	Local Value	Master Value
session.auto_start	Off	Off
session.bug_compat_42	Off	Off
session.bug_compat_warn	Off	Off
session.cache_expire	180	180
session.cache_limiter	nocache	nocache
session.cookie_domain	<i>no value</i>	<i>no value</i>
session.cookie_httponly	Off	Off
session.cookie_lifetime	0	0
session.cookie_path	/	/
session.cookie_secure	Off	Off
session.entropy_file	<i>no value</i>	<i>no value</i>
session.entropy_length	0	0
session.gc_divisor	1000	1000
session.gc_maxlifetime	1440	1440
session.gc_probability	1	1
session.hash_bits_per_character	5	5
session.hash_function	0	0
session.name	PHPSESSID	PHPSESSID
session.referer_check	<i>no value</i>	<i>no value</i>
session.save_handler	files	files
session.save_path	/var/lib/php/session	/var/lib/php/session
session.serialize_handler	php	php
session.use_cookies	On	On
session.use_only_cookies	On	On
session.use_trans_sid	0	0

shmop

shmop support	enabled
----------------------	---------

SimpleXML

Simplexml support	enabled
Revision	\$Revision: 299424 \$
Schema support	enabled

sockets

Sockets Support	enabled
------------------------	---------

SPL

SPL support	enabled
Interfaces	Countable, OuterIterator, RecursiveIterator, SeekableIterator, SplObserver, SplSubject
Classes	AppendIterator, ArrayIterator, ArrayObject, BadFunctionCallException, BadMethodCallException, CachingIterator, DirectoryIterator, DomainException, EmptyIterator, FilesystemIterator, FilterIterator, GlobIterator, InfiniteIterator, InvalidArgumentException, IteratorIterator, LengthException, LimitIterator, LogicException, MultipleIterator, NoRewindIterator, OutOfBoundsException, OutOfRangeException, OverflowException, ParentIterator, RangeException, RecursiveArrayIterator, RecursiveCachingIterator, RecursiveDirectoryIterator, RecursiveFilterIterator, RecursiveIteratorIterator, RecursiveRegexIterator, RecursiveTreeIterator, RegexIterator, RuntimeException, SplDoublyLinkedList, SplFileInfo, SplFileObject, SplFixedArray, SplHeap, SplMinHeap, SplMaxHeap, SplObjectStorage, SplPriorityQueue, SplQueue, SplStack,

SpITempFileObject, UnderflowException, UnexpectedValueException

sqlite3

SQLite3 support	enabled
SQLite3 module version	0.7-dev
SQLite Library	3.6.20

Directive	Local Value	Master Value
sqlite3.extension_dir	no value	no value

standard

Dynamic Library Support	enabled
Path to sendmail	/usr/sbin/sendmail -t -i

Directive	Local Value	Master Value
assert.active	1	1
assert.bail	0	0
assert.callback	no value	no value
assert.quiet_eval	0	0
assert.warning	1	1
auto_detect_line_endings	0	0
default_socket_timeout	60	60
safe_mode_allowed_env_vars	PHP_	PHP_
safe_mode_protected_env_vars	LD_LIBRARY_PATH	LD_LIBRARY_PATH
url_rewriter.tags	a=href,area=href,frame=src,input=src,form=fakeentry	a=href,area=href,frame=src,input=src,form=fakeentry
user_agent	no value	no value

tokenizer

Tokenizer Support	enabled
-------------------	---------

wddx

WDDX Support	enabled
WDDX Session Serializer	enabled

xml

XML Support	active
XML Namespace Support	active
libxml2 Version	2.7.6

xmlreader

XMLReader	enabled
-----------	---------

xmlwriter

XMLWriter	enabled
-----------	---------

xsl

XSL	enabled
libxslt Version	1.1.26
libxslt compiled against libxml Version	2.7.6
EXSLT	enabled
libexslt Version	1.1.26

zip

Zip	enabled
Extension Version	\$Id: php_zip.c 300470 2010-06-15 18:48:33Z pajoye \$
Zip version	1.9.1
Libzip version	0.9.0

zlib

ZLib Support	enabled
Stream Wrapper support	compress.zlib://
Stream Filter support	zlib.inflate, zlib.deflate
Compiled Version	1.2.3
Linked Version	1.2.3

Directive	Local Value	Master Value
zlib.output_compression	Off	Off
zlib.output_compression_level	-1	-1
zlib.output_handler	<i>no value</i>	<i>no value</i>

Additional Modules

Module Name

Environment

Variable	Value
TERM	linux
PATH	/sbin:/usr/sbin:/bin:/usr/bin
runlevel	3
RUNLEVEL	3
LANGSH_SOURCED	1
PWD	/
LANG	C
previous	N
PREVLEVEL	N
CONSOLETYPE	vt
SHLVL	3
UPSTART_INSTANCE	<i>no value</i>
UPSTART_EVENTS	runlevel
UPSTART_JOB	rc
_	/usr/sbin/httpd

PHP Variables

Variable	Value
COOKIE["memberSession"]	ezjEkkHeBkKJfJ+DNkbYfXBivz+dPr.t
COOKIE["Elgg_install"]	bdoh1esu4gki5cvb9abdm9absr672
COOKIE["Elgg"]	ll3dmrv6vvsq8kp3kmfuc88p05
COOKIE["900ddc0ecd64f1efb1b56fa906c0cae3"]	0i8jveigbilsu74vsdgrlah322
COOKIE["23b73ae1fbc71dc545227abd7ec2c7f2"]	slkmb666lnbqink7bgguqrufm7
COOKIE["3a72e909ace5f2e1ed3702e45f83cf1b"]	t1v00mlf5lit270238fgloam5
COOKIE["4104420e94fb629a4ca79e3caff285bf"]	e77b3465e0v5smhsjq0nioev30
_SERVER["HTTP_ACCEPT"]	application/x-ms-application, image/jpeg, application/xaml+xml, image/gif, image/pjpeg, application/x-ms-xbap, application/vnd.ms-excel, application/vnd.ms-powerpoint, application/msword, */*
_SERVER["HTTP_ACCEPT_LANGUAGE"]	en-US
_SERVER["HTTP_USER_AGENT"]	Mozilla/5.0 (compatible; MSIE 9.0; Windows NT 6.1; WOW64; Trident/5.0; SLCC2; .NET CLR 2.0.50727; .NET CLR 3.5.30729; .NET CLR 3.0.30729; Media Center PC 6.0; InfoPath.2; .NET4.0C; .NET4.0E)
_SERVER["HTTP_ACCEPT_ENCODING"]	gzip, deflate
_SERVER["HTTP_HOST"]	192.168.1.144
_SERVER["HTTP_CONNECTION"]	Keep-Alive
_SERVER["HTTP_COOKIE"]	memberSession=ezjEkkHeBkKJfJ%2BDNkbYfXBivz%2BdPr.t; Elgg_install=bdoh1esu4gki5cvb9abdm9absr672; Elgg=ll3dmrv6vvsq8kp3kmfuc88p05; 900ddc0ecd64f1efb1b56fa906c0cae3=0i8jveigbilsu74vsdgrlah322; 23b73ae1fbc71dc545227abd7ec2c7f2=slkmb666lnbqink7bgguqrufm7; 3a72e909ace5f2e1ed3702e45f83cf1b=t1v00mlf5lit270238fgloam5; 4104420e94fb629a4ca79e3caff285bf=e77b3465e0v5smhsjq0nioev30
_SERVER["PATH"]	/sbin:/usr/sbin:/bin:/usr/bin
_SERVER["SERVER_SIGNATURE"]	<address>Apache/2.2.15 (CentOS) Server at 192.168.1.144 Port 80</address>
_SERVER["SERVER_SOFTWARE"]	Apache/2.2.15 (CentOS)
_SERVER["SERVER_NAME"]	192.168.1.144
_SERVER["SERVER_ADDR"]	192.168.1.144
_SERVER["SERVER_PORT"]	80
_SERVER["REMOTE_ADDR"]	192.168.1.101
_SERVER["DOCUMENT_ROOT"]	/var/www
_SERVER["SERVER_ADMIN"]	root@localhost
_SERVER["SCRIPT_FILENAME"]	/var/www/phpinfo.php
_SERVER["REMOTE_PORT"]	51305
_SERVER["GATEWAY_INTERFACE"]	CGI/1.1
_SERVER["SERVER_PROTOCOL"]	HTTP/1.1
_SERVER["REQUEST_METHOD"]	GET
_SERVER["QUERY_STRING"]	<i>no value</i>
_SERVER["REQUEST_URI"]	/phpinfo.php
_SERVER["SCRIPT_NAME"]	/phpinfo.php

<code>_SERVER["PHP_SELF"]</code>	/phpinfo.php
<code>_SERVER["REQUEST_TIME"]</code>	1363030302

PHP License

This program is free software; you can redistribute it and/or modify it under the terms of the PHP License as published by the PHP Group and included in the distribution in the file: LICENSE

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.

If you did not receive a copy of the PHP license, or have any questions about PHP licensing, please contact license@php.net.